

UTAH OIL AND GAS CONSERVATION COMMISSION

REMARKS: WELL LOG _____ ELECTRIC LOGS _____ FILE ☒ WATER SANDS _____ LOCATION INSPECTED _____ SUB. REPORT/abd. _____*Terminated for failure to spud within 90 days*

DATE FILED 1-19-70

LAND: FEE & PATENTED ☒ STATE LEASE NO. _____

PUBLIC LEASE NO. _____

INDIAN _____

DRILLING APPROVED: 1-19-70

SPUDED IN: _____

COMPLETED: _____ PUT TO PRODUCING: _____

INITIAL PRODUCTION: _____

GRAVITY A.P.I. _____

GOR: _____

PRODUCING ZONES: _____

TOTAL DEPTH: _____

WELL ELEVATION: _____

DATE ABANDONED: LA 7-30-70

FIELD: New Field Wildcat 3/8 Altamont

UNIT: _____

COUNTY: Duchesne

WELL NO. FENZL FEE #1

API NO. 43-013-30032

LOCATION 1980' FT. FROM (N) (S) LINE, 658'

FT. FROM (E) (W) LINE, NW SW

¼-¼ SEC. 20

TWP.

RGE.

SEC.

OPERATOR

TWP.

RGE.

SEC.

OPERATOR:

3 S

5 W

20

AMERICAN MINERALS MNGT.

UTAH OIL AND GAS CONSERVATION COMMISSION

REMARKS: WELL LOG _____ ELECTRIC LOGS _____ FILE ☒ WATER SANDS _____ LOCATION INSPECTED _____ SUB. REPORT/abd. _____

Terminated for failure to spud within 90 days

DATE FILED 1-19-70

LAND: FEE & PATENTED ☒ STATE LEASE NO. _____

PUBLIC LEASE NO. _____

INDIAN _____

DRILLING APPROVED: 1-19-70

SPUDED IN: _____

COMPLETED: _____ PUT TO PRODUCING: _____

INITIAL PRODUCTION: _____

GRAVITY A.P.I. _____

GOR: _____

PRODUCING ZONES: _____

TOTAL DEPTH: _____

WELL ELEVATION: _____

DATE ABANDONED: LA 7-30-70

FIELD: ~~New Field Wildcat~~ 3/86 Altamont

UNIT: _____

COUNTY: Duchesne

WELL NO. FENZL FEE #1

API NO. 43-013-30032

LOCATION 1980' FT. FROM (N) (S) LINE, 658'

FT. FROM (E) (W) LINE. NW SW 1/4 - 1/4 SEC. 20

TWP. _____ RGE. _____ SEC. _____ OPERATOR _____

TWP. _____ RGE. _____ SEC. _____ OPERATOR _____

Approval terminated for failure to send. SD
7-30-70

FILE NOTATIONS

Entered in NID File
Location Map Pinned
Card Indexed

Checked by Chief PWB
Approval Letter 1-19-70
Disapproval Letter

COMPLETION DATA:

Date Well Completed 7-30-70
Location Inspected
Bond released
State or Fee Land
GW..... OS..... PA.....

LOGS FILED

Driller's Log.....
Electric Log (No.)
E..... I..... Dual I Lat..... GR-N..... Micro.....
BHC Sonic GR..... Lat..... ML-L..... Sonic.....
CBLog..... CGLog..... Others.....

CDW
3-9-92

450 Kennecott

AMERICAN MINERALS MANAGEMENT, Inc.

~~515 KENNECOTT~~ BUILDING

SALT LAKE CITY, UTAH 84101

TELEPHONE (801) ~~255-2949~~

521-7173

January 16, 1970

Utah Oil and Gas Conservation Division
1588 West North Temple
Salt Lake City, Utah

Dear Sirs:

Re: Fenzl No. 1, Duchesne County, Utah

Enclosed please find application for permit to drill in triplicate together with three survey certificates (plats) attached thereto for the Fenzl No. 1 test well in Section as described therein. We are also sending a copy of the Application with plat attached to United States Geological Survey office in Salt Lake City, Utah.

We would appreciate your approving this permit to drill as soon as possible so that we could get a rig committed to commence drilling. We have filed with you our blanket drilling bond for \$25,000.00. We can submit our drilling program within a few days after the engineers return to the office. Your prompt action on this request will be appreciated.

Very truly yours,

AMERICAN MINERALS MANAGEMENT, INC.


Dean W. Payne
Secretary

DWP

Enclosures
cc; UNITED STATES GEOLOGICAL SURVEY

STATE OF UTAH
OIL & GAS CONSERVATION COMMISSION

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

1a. TYPE OF WORK
 DRILL ☒ DEEPEN ☐ PLUG BACK ☐

b. TYPE OF WELL
 OIL WELL ☒ GAS WELL ☐ OTHER ☐ SINGLE ZONE ☐ MULTIPLE ZONE ☒

2. NAME OF OPERATOR
 AMERICAN MINERALS MANAGEMENT, INC.

3. ADDRESS OF OPERATOR
 450 Kennecott Building, Salt Lake City, Utah

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.)*
 At surface 658 feet E of W line, 1980 feet N of S line, Section 20,
 T. 3 S., R. 5 W., Uintah Special Meridian (NW $\frac{1}{4}$ SW $\frac{1}{4}$)
 At proposed prod. zone Same

14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE*
 3 miles west of Duchesne, Utah

15. DISTANCE FROM PROPOSED* LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT. (Also to nearest drlg. line, if any) 658 feet

16. NO. OF ACRES IN LEASE 320

17. NO. OF ACRES ASSIGNED TO THIS WELL 80

18. DISTANCE FROM PROPOSED LOCATION* TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT. -----

19. PROPOSED DEPTH 10,000 feet GR

20. ROTARY OR CABLE TOOLS Rotary

21. ELEVATIONS (Show whether DF, RT, GR, etc.) 5,930 feet Ground

22. APPROX. DATE WORK WILL START* March 1, 1970

5. LEASE DESIGNATION AND SERIAL NO. Fee - Have Bond

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME Frank J. Fenzl

9. WELL NO. Fenzl No. 1

10. FIELD AND POOL, OR WILDCAT Unnamed Wildcat

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA Sec. 20, T. 3 S., R. 5 W., U. S. M.

12. COUNTY OR PARISH Duchesne

13. STATE Utah

23. PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT

Will file amended application when program is determined.

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24. SIGNED Ma J. Millott TITLE VICE PRESIDENT DATE Jan. 16, 1970

(This space for Federal or State office use)

PERMIT NO. 43-013-30032 APPROVAL DATE _____


APPROVED BY _____ TITLE _____ DATE _____

CONDITIONS OF APPROVAL, IF ANY:

T 3 S, R 5 W, U.S.M.

PROJECT

AMERICAN MINERALS MANAGEMENT INC.
WELL LOCATION AS SHOWN IN THE NW1/4 SW1/4,
SECTION 20, T 3 S, R 5 W, U.S.M. DUCHESNE
COUNTY, UTAH.



Ground elevation 5,930 feet.



CERTIFICATE

THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM
FIELD NOTES OF ACTUAL SURVEYS MADE BY ME OR UNDER MY
SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE
BEST OF MY KNOWLEDGE AND BELIEF

Jane Stewart

REGISTERED LAND SURVEYOR
REGISTRATION NO 3454
STATE OF UTAH

X = Corners Located (Stone)

UINTAH ENGINEERING & LAND SURVEYING
P.O. BOX Q - 110 EAST - FIRST SOUTH
VERNAL, UTAH - 84078

SCALE	1" = 1000'	DATE	9 Jan. 1970
PARTY	GS & HM	REFERENCES	GLO Township Plat
WEATHER	Cloudy & Cold	FILE	AMERICAN MINERALS MNGT.

January 19, 1970

American Minerals Management, Inc.
450 Kennecott Building
Salt Lake City, Utah

Re: Well No. Fenzl Fee #1
Sec. 20, T. 3 S, R. 5 W,
Duchesne County, Utah

Gentlemen:

Insofar as this office is concerned, approval to drill the above mentioned well is hereby granted. However, this approval is conditional upon an amended application which gives the detailed engineered drilling program.

Should you determine that it will be necessary to plug and abandon this well, you are hereby requested to immediately notify the following:

PAUL W. BURCHELL - Chief Petroleum Engineer
HOME: 277-2890
OFFICE: 328-5771

This approval terminates within 90 days if the well has not been spudded-in within said period.

Enclosed please find Form OGC-8-X, which is to be completed whether or not water sands (aquifers) are encountered while drilling. Your co-operation with respect to completing this form will be greatly appreciated.

American Minerals Management, Inc.
January 19, 1970
Page 2

The API number assigned to this well is 43-013-30032 (see Bulletin D-12 published by the American Petroleum Institute).

Very truly yours,

DIVISION OF OIL & GAS CONSERVATION

CLEON B. FEIGHT
DIRECTOR

CBF:sd
Enclosures

July 30, 1970

American Minerals Management
450 Kennecott Bldg.
Salt Lake City, Utah

Re: Well No. Fenzl Fee #1
Sec. 20, T. 3 S, R. 5 W,
Duchesne County, Utah

Gentlemen:

Approval to drill the above mentioned well, which was granted in our letter of January 19, 1970, is hereby terminated for failure to spud-in within the time prescribed.

If and when you should decide to drill this well, it will be necessary for you to again obtain the approval of this Division.

Very truly yours,

DIVISION OF OIL & GAS CONSERVATION

CLEON B. FEIGHT
DIRECTOR

CBF:sd